



**OPBW.R21628
Leakage-rated Door Assemblies**

Page Bottom

Leakage-rated Door Assemblies

See General Information for Leakage-rated Door Assemblies

STANLEY ACCESS TECHNOLOGIES

R21628

65 SCOTT SWAMP RD
FARMINGTON, CT 06032 USA

Leakage rated assemblies, Models ICU 7000 TL, 7000, 7200, 7500, 7500TL and 7500TL-FBO manually sliding door and frame assemblies. Maximum overall size of the door and frame assembly not to exceed 168 in. wide by 120 in high.

The door and frame assembly consists of the frame, gaskets, glazing systems, latches, pivots and door panels.

Test Pressure (In. of WC)	Sill Conditions	Air Temperature	Leakage (cfm/ft ²)
0.05	A	Ambient	<3
0.10	A	Ambient	<3
0.20	A	Ambient	<3
0.30	A	Ambient	<3
0.05	A	Elevated	<3
0.10	A	Elevated	<3
0.20	A	Elevated	<3
0.30	A	Elevated	<3
Test Pressure (In. of WC)	Sill Conditions	Air Temperature	Leakage (cfm/ft ²)
0.05	B	Ambient	<3
0.10	B	Ambient	<3
0.20	B	Ambient	<3
0.30	B	Ambient	<3
0.05	B	Elevated	<3
0.10	B	Elevated	<3
0.20	B	Elevated	<3
0.30	B	Elevated	<3

A. Assembly tested with bottom of door and frame assembly artificially sealed as allowed by UL 1784 and NFPA 105.

B. Assembly tested without bottom of door and frame assembly artificially sealed as allowed by UL 1784 and NFPA 105.

See the manufacturer's installation instructions for seal installation details.

Last Updated on 2009-11-04

[Questions?](#)

[Notice of Disclaimer](#)

[Page Top](#)

Copyright © 2009 Underwriters Laboratories Inc.®

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2009 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

